COMBINE PARTS

CATALOG

CLAAS

AGROPARTS



www.agroparts.us

Agroparts LLC is an official dealer of PW Group GMBH at USA and Canada.

PW Group GmbH - a German manufacturer of high quality spare parts for combine harvesters. The company is located in Bobingen, near Augsburg (Bavaria). More than 15 years of substantial experience has been accumulated in the production of spare parts for combine harvesters produced by the world's most famous manufacturers, CLAAS, Case IH, John Deere, New Holland and Massey Ferguson.

Our product range includes more than 600 components manufactured by our company. Our parts meet or exceed OEM specifi cations whilst only costing a fraction of the list price and we also provide a 12 months warranty on all our parts. We are continually increasing our product range and can also produce of spare parts according to customer drawings or samples which can be adapted to the individual needs of each region.

Through our substantial experience of the European and American markets, we have established close and extensive business relationships with offi cial dealers as well as manufacturers of high quality replacement parts.

We are happy to be able to offer you more than 10 000 items of high-quality replacement parts at competitive prices and at short notice.

Our advantages are:

Trust - we have all necessary experience in the production of high quality spare parts for combine harvesters and profi t from our long term cooperation with major suppliers of spare parts from Europe, North and South America, Russia, Ukraine and Kazakhstan. Our world-wide client network is growing from year to year.

Reliability - since its foundation our company has proven itself to be a reliable and stable partner.

Competence - our technical andengineering departments constantly analyze all developments in agricultural machinery. Our skilled engineers monitor improvements or innovations implemented by manufacturing companies and promptly react to them.

Flexibility - we have an individual approach in our cooperation with each customer.

Quality - we provide 12 months warranty without any restrictions on allcomponents which we manufacture.

Our capability to keep pace with the market leaders has enabled us to gain the trust of a large number of our customers and allows us to guarantee the highest quality of spare parts as well as to conduct a reasonable pricing policy and be attentive to each and every client.

Product Catalog 2018/2019

Cutterbars	4
Concaves	5
Main Concaves	6
Pre-concaves	8
Feeder Channels	12
Rasp Bars	14
Beater wing plates	18
Discharge beaters	19
Sieve Pans	20
Chopper Bodies	21
Sieves and 3D Frames	22
Preparation Floors	28
Augers	30
Elevators	36
Straw Walkers	38
Chopper Housings, Racks	40
Housings	41
Wear Plates	42



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-517-121R**	**517121.1** Lexion Vario V540-V900 Lexion Vario/Tucano V1050-V540	Guiding plate LH	L=2450 mm
	CL-517-123R	**517123.1** Lexion Vario V540-V900 Lexion Vario/Tucano V1050-V540	Guiding plate LH	L=1008 mm
	CL-517-125R	**517125.1** Lexion Vario V540-V900 Lexion Vario/Tucano V1050-V540	Guiding plate RH	L=2450 mm
	CL-517-129R	**517129.1** Lexion Vario V540-V900 Lexion Vario/ Tucano V1050-V540	Guiding plate RH	L=1008 mm
	CL-753-495R	**753495.2** Lexion V ario V540-V900	Guiding plate	L=2662 mm
	CL-753-497R	**753497.2** Lexion Vario V540-V900	Guiding plate	L=2662 mm
	CL-626-397R	**626397.0** Lexion Vario V540-V900	Guiding plate	L=2266 mm
	CL-637-534P	**637534.0** Claas	Wobble drive	L=420 mm
2	**CL-716-00R**	**set 753288.0+ 753289.0** Lexion/ Tucano C490-370, C900-C39 Lexion C900-450 Lexion, V1050-V540 V ario Lexion/ Tucano V900-V540 Vario Lexion	Divider set	L=423 mm
3	**CL-626-193R**	**626193.0** C490-C370 Lexion/ Tucano, V1350-V1050 Lexion/ Tucano, 900-390 Lexion, V900-V550V ario Lexion, C900-C450 Lexion; V1050-V540 Vario Lexion/ Tucano	Skid shoe	L=563 mm
	Cl-645-409R	**645409.0** Dominator 78-98, Dominator 106, 108/118, 108/118 VX, Commandor 116,228, 900-300 Mega/ Medion/Do, Mega 202, 204/203, Mega 208/218 II	Skid shoe	L=539 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Dominator, Medion, Tucano



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-662-808R**	**662808.0** Dominator 128-108 VX Medion 340 T ucano 340	Concave segment 10 x 38 (grain)	L=517 mm
	CL-662-815R	**662815.0** Dominator 88, 88 VX, 98, 98 VX Medion 310, 330 T ucano 320, 330	Main concave segment 10x 38 (grain)	L=431 mm
2	**CL-662-811R**	**662811.0** Dominator 128-108 VX Medion 340 T ucano 340	Main concave segment 19 x 40 (corn)	L=517 mm
	CL-662-817R	**662817.0** Dominator 88, 88 VX,98, 98 VX Medion 310, 330 Tucano 320, 330	Main concave segment 19 x 40 (corn)	L=431 mm
3	**CL-755-232R**	**755232.0** Dominator 108 VX, 128 VX Medion 340 Tucano 340	Main concave segment, wire N 10 (grain)	L=517 mm
	CL-756-070R	**756070.0** Medion 310, 320, 330, 330H Dominator 98 VX, 88 VX Tucano 330-320	Main concave segment, wire N 10 (grain)	L=431 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Lexion

All components are robot welded for accuracy.
Concaves rigorous analysis are subjected to in order to ensure an exact fit and an effective style.
Thanks to the field trials, our concaves meet or exceed OEM performance.

Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-734-501R**	**734501.2**	Main concave 19 x 40 (corn)	
		Lexion 480, 480 Lexion 580, Lexion 600		BW=1700 mm L=1694 mm
2	**CL-756-080R**	**756080.1**	Main concave, 18 (grain)	
		Lexion 440, 450, 460, ab SN 45700027 Lexion 540, 550, 560, 580, 595-590 Lexion 670-640 Lexion 780-760		BW=1700 mm L=1694 mm
	CL-756-184R	**756184.1**	Main concave, 18 (grain)	
		Lexion 405-430, 470 Lexion 510-530, 570 Lexion 760-730		BW=1420 mm L=1410 mm

*BW - Beater Width

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Dominator, Mega, Tucano



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-777-531R**	**777531.0**	Concave, wire N 18	L=1670
		Mega 208, 218, Mega 360, Mega 370 ab SN 84500202 Tucano 440, 580-570	(replacement 662902.2, 663941.0)	
	CL-777-551R	**777551.0**	Concave, wire N 18	L=1310
		Mega 350 Mega 204/203 II, 202 Tucano 430-420, 460 Tucano 560-550	(replacement 663347.1, 663946.0)	
	CL-682-892R	**682892.0**	Concave, wire N 10	L=1694
		Dominator 88-98		
	CL-682-897R	**682897.0**	Concave, wire N 10	L=1570
		Dominator 106, 108, 118 ab SN 09400526		
	CL-601-752R	**601752.1**	Main concave	L=1310
		Dominator 106, 118/108		
	CL-601-753R	**601753.0**	Concave	L=1570
		Dominator 118/108, 106		
	CL-601-754R	**601754.1**	Main concave	L=1570
		Dominator 86, 88, 96, 98		
	CL-601-755R	**601755.0**	Concave	L=1305
		Dominator 86, 88, 96, 98		
	CL-600-240R	**600240.3**	Main concave corn	L=1315
		Dominator 88, 96, 98		
	CL-600-230R	**600230.0**	Main concave corn	L=1570
		Dominator 106, 118/108		
	CL-647-458R	**647458.0**	Concave	L=1305
		Dominator 86, 88, 96, 98		

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Lexion



Picture no	Part no	OEM Nr.	Description	Comments
1	**CL-752-574R**	**752574.2** Lexion 440-460, 480 Lexion 540-560	Pre-concave frame	BW=1700 mm L=1694 mm
	CL-757-425R	**757425.2** Lexion 450, 470 Lexion 530-510, 560, 570 Lexion 630-620 Lexion 750-730, 750-760	Pre-concave frame	BW=1420 mm L=1410 mm
	CL-757-400R	**757400.2** Lexion 460, 480R Lexion 540-560, 570, 580 Lexion 600, 640-670 Lexion 760-780	Pre-concave frame 12 x 40	BW=1700 mm L=1694 mm
	CL-777-202R	**777202.2** Lexion 460, 480R Lexion 540-560, 570, 580 Lexion 600, 640-670 Lexion 760-780	Pre-concave frame 6,5 x 32	BW=1700 mm L=1694 mm

*BW - Beater Width

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Picture no	Part no	OEM Nr.	Description	Comments
2	**CL-757-439R**	**757439.1** Lexion 460, 480 Lexion 540, 560, 570, 580, 590 Lexion 600, 640, 670, Lexion 760, 770, 780	Pre-concave segment 19 x 40 (corn)	B=236 mm
	CL-757-441R	**757441.1** Lexion 420, 430, 470 Lexion 510, 520, 530 ab SN 58300369, 570, 580, 580R, Lexion 630-620 Lexion 760-730	Pre-concave segment 19 x 40 (corn)	B=236 mm
	CL-777-249R	**777249.0** Lexion 540 ab SN 58401072, 560, 580 ab SN 58600918, 570 Lexion 600, 640-670, 760-780	Pre-concave segment, wire N 10 (grain)	B=236 mm
	CL-777-238R	**777238.1** Lexion 470 Lexion 510 ab SN 58300369, Lexion 530, 570, 580R, Lexion 630-620, Lexion 730-760	Pre-concave segment, wire N 10 (grain)	B=236 mm
3	**CL-735-444R**	**735444.1** Lexion 405, 410, 430, Lexion 510 to SN 58300368, 530	Pre-concave segment 19 x 42 (corn)	B=367 mm
	CL-735-440R	**735440.1** Lexion 440, 450, 460, 480 Lexion 540, 560 to SN 58401071	Pre-concave segment 19 x 42 (corn)	B=367 mm
	CL-735-442R	**735442.0** Lexion 405 to SN 45200696, 410, 430 to SN 45301481, 450, 470	Pre-concave segment 19 x 42 (corn)	B=367 mm
	CL-748-646R	**748646.0** Lexion 440 ab SN 4500029, 450, 460, 480 ab SN 46600042, 480	Pre-concave segment 12 x 42 (grain)	B=367 mm
	CL-756-195R	**756195.0** Lexion 440, 440, 450, 460 a b S N 45700027 Lexion 540, 560 to SN 58401071	Pre-concave segment, wire N 10 (grain)	B=367 mm
	CL-756-178R	**756178.0** Lexion 410-405,430-415,430-410,530-510	Pre-concave segment	B=367 mm
4	**CL-752-543R**	**752543.0** Lexion 460-440, 480, 560-540, 580, 570 Lexion 600, 640-670 Lexion 760 (T yp C56), 770-780	Threshing segment	B=110 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Mega, Tucano



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-663-949R**	**663949.0** Mega 370-360,218, 208	Pre-concave frame	BW=1580mm L=1573 mm
	CL-663-960R	**663960.0** Mega 350, 204, 203, 202	Pre-concave frame	BW=1320mm L=1313 mm
	CL-552-801R	**552801.0** Tucano 440-450,480-470 Tucano 580-570	Pre-concave frame (replacement 550202.0)	BW=1580mm L=1573 mm

*BW - Threshing width

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
2	**CL-662-900R**	**662900.1** Mega 218/208, 218/208 II Mega 370/360	Pre-concave segment 19 x 38	L=515 mm
	CL-664-140R	**664140.0** Mega 202II, 204/203II Mega 350	Vorkorb-Segment, wire 10 (grain)	L=340 mm
	CL-662-927R	**662927.1** Mega 218/208	Pre-concave segment 6,5 x 38	L=515 mm
	CL-663-341R	**663341.0** Mega 202, 204/203	Pre-concave segment 6,5 x 38	L=429 mm
	CL-663-345R	**663345.1** Mega 202II, 204/203II Mega 350	Pre-concave segment 19 x 38	L=429 mm
	CL-663-970R	**663970.0** Mega 218/208, 218/208 II Mega 370/360	Pre-concave segment	L=515 mm
	CL-777-580R	**777580.0** Mega 350/360	Pre-concave segment, wire N 10	L=515 mm
	CL-777-591R	**777591.0** Mega 350	Pre-concave segment, wire N 10	L=430 mm
	CL-662-756R	**662756.0** Mega 218/208	Pre-concave segment	L=515 mm
	CL-663-975R	**663975.0** Mega 218/208, 218/208 II Mega 370/360	Pre-concave segment	L=515 mm
	CL-550-204R	**550204.0** T ucano 440, 450, 470, 480 T ucano 570, 580	Pre-concave segment, wire N 10 (replacement 552809.0)	
	CL-553-125R	**553125.0** T ucano 440, 450, 470, 480	Pre-concave segment 19 x 38	L=518 mm
	CL-735-594R	**735594.0** Lexion 440-460, 480	Pre-concave segment	L=555 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

FEEDER CHANNELS
AGROPARTS



Picture no	Part no	OEM Nr.	Description	Comments	Models
	CL-518-782R	**518782.0** (replacement 520173.0)	Roler	L=1564 mm	Lexion 540-560 Lexion 640-670 Lexion 570, 580 Lexion 600 Lexion 740-750 Lexion 760, 770
2	**517935PW**	**517935.0**	Serrated Slat	L=560 mm	
1	**CL-630-401R**	**630401.0**	Roler	L=1564 mm	Lexion 440-460, 480 Lexion 540-560 Lexion 640-670 Lexion 760
1	**CL-767-583R**	**767583.0**	Roler	L=1564 mm	
2	**630566PW**	**630566.2**	Serrated Slat	L=740 mm	
2	**630565PW**	**630565.1**	Serrated Slat	L=740 mm	
1	**CL-630-645R**	**630645.0**	Roler	L=1284 mm	Lexion 405 - 430, 450, 460 Lexion 470, 415 Lexion 510-530, 560, 570 Lexion 740, 750
1	**CL-767-581R**	**767581.0**	Roler	L=1284 mm	
2	**630642PW**	**630642.2**	Serrated Slat	L=653 mm	
1	**CL-650-696R**	**650696.2**	RolerL=1184 mm	L=1184 mm	Dominator 88, 98 Medion 310, 320, 330 Mega 203, 204 Mega 300, 350 Tucano 320, 330 Tucano 430-420
2	**645144PW**	**645144.1**mm	Serrated Slat	L=1122 mm	
2	**650863PW**	**650863.2**	Serrated Slat	L=604 mm	
2	**650864PW**	**650864.2**	Serrated Slat	L=604 mm	
1	**CL-650-778R**	**650778.2**	Roler	L=1444 mm	Mega 218/208 Mega 370/360 Dominator 118/108, 128/ 108 VX Medion 340 Commandor 228/116CS
2	**650713PW**	**650713.2**	Serrated Slat	L=682 mm	



	Cover	L=1336 mm	Tucano 340, Tucano 440, 450, 470, 480, Tucano 570, 580 Lexion 405-410, 410-430 Lexion 440-460, 470, 480 Lexion 510-530, 540-560 Lexion 570, 580 Lexion 600
	End Piece	L=425 mm	
	Cover	L=425 mm	
	Serrated Slat	L=468 mm	Lexion 570, 740-750
	Repair disk for roller	D 260x40	for Roler PW Group
	Repair disk for roller	D 290x6	
	Repair disk for roller	D 100x90	

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment
Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

RASP BARS
AGROPARTS

The weight is balanced with a difference of maximum 20 gr.



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-174-763R**	**174763.0**	Rasp Bar Set (l+l)	L=1680 mm
		Lexion 780 – 770, 760 (T yp C56) Lexion 580, 560 – 540 Lexion 670 – 640, 600		double screwed
	CL-174-764R	**174764.0**	Rasp Bar Set (r+r)	L=1680 mm
		Lexion 780 – 770, 760 (T yp C56) Lexion 580, 560 – 540 Lexion 670 – 640, 600		double screwed
	CL-181-743R	**181743.0**	Rasp Bar Set (l+l)	L=1680 mm
		Lexion 440, 440 II, 450, 460, 480		
	CL-181-744R	**181744.0**	Rasp Bar Set (r+r)	L=1680 mm
		Lexion 440, 440 II, 450, 460, 480		

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
	CL-174-765R	**174765.0 (174761.0)**	Rasp Bar Set (l+l)	L=1400 mm
		Lexion 760 (T yp C65) / 750 – 740 Lexion 630 – 620 Lexion 570/530 – 510		double screwed
	CL-174-766R	**174762.0**	Rasp Bar Set (r+r)	L=1400 mm
		(replacement 174766.0) Lexion 760 (T yp C65)/750 – 740, 730 Lexion 630 – 620 Lexion 570/ 530 – 510		double screwed
	CL-181-741R	**181741.0**	Rasp Bar Set (l+l)	L=1400 mm
		Lexion 470/430 – 405		
	CL-181-742R	**181742.0**	Rasp Bar Set (r+r)	L=1400 mm
		Lexion 470/430 – 405, 450		
2	**CL-755-995R**	**755995.1**	Threshing drum wear plate (1 pc)	L=1393 mm
		Lexion 410-405, 430-410 II, 470, 450 Lexion 530-510, 570 Lexion 760 (T yp C65)/750 – 740 Lexion 630 – 620 Lexion 470/ 430 – 405		
	CL-755-996R	**755996.1**	Threshing drum wear plate(1 pc)	L=1674 mm
		Lexion 460-440, 480 Lexion 560-540, 580 Lexion 670 – 640/600 Lexion 780 – 770/ 760 (T yp C56) Lexion 440, 440 II, 450, 460, 460 II, 480		

Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
	CL-663-157R	**663157.0** Lexion Mega Commandor	Cap	L=65 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-177-531R**	**177531.0**	Rasp Bars (l+r)	L=1045 mm
		Dominator 130, 150/140, 48, 58/48 SP, 68, 68R/SR, 76, 78		
	CL-177-532R	**177532.0**	Rasp Bars (l+r)	L=1305 mm
		Dominator 86, 88, 88 VX, 96, 98, 98 VX Mega 350 Commandor 114CS, 115CS Mega 202, 202 II, 203, 204 II Medion 310, 330, 330H Tucano 320, 330 Tucano 430-420		
	CL-177-533R	**177533.0**	Rasp Bars (l+r)	L=1565 mm
		Dominator 108, 108 VX, 118, 128 VX Mega 208, 208 II, 218, 218 II Mega 340, 360, 370 Commandor 228, 116CS Tucano 340 Tucano 570/ 480 – 470 (to 84006422) Tucano 450 – 440 (to 83900838) Tucano 340 (to 83401286)		

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-555-707R**	**555707.0**	Rasp Bars (l+r)	L=1565 mm
		Tucano 570/480 – 470 (ab 84006423), 580 Tucano 450– 440 (ab 83900839), Tucano 340 (ab 83401287)		
	CL-557-386R	**557386.0**	Rasp Bars (l+r)	L=1305 mm
		Tucano 430 – 420 (ab 83801273), 460, 450, 560-550 Tucano 330 – 320 (ab 83201897)		
2	**CL-554-689R**	**554689.1**	Cover	L=1560 mm
		Tucano 340, Tucano 440, 450, 470, 480, Tucano 570, 580		
	CL-646-822R	**646822.0**	Cover	L=1300 mm
		Mega 202, 204/203, 350 Commandor 114 CS, 115 CS Dominator 88-98 VX Medion 330-310		
	CL-662-883R	**662883.0**	Drum Cover Plate (1 pc)	L=1560 mm
		Dominator 108, 108 VX, 118, 128 VX Mega 208, 208 II, 218, 218 II Mega 340, 360, 370 Commandor 228, 116CS Tucano 340 Tucano 480 – 470 (to 84006422) Tucano 450 – 440 (to 83900838) Tucano 340 (to 83401286)		
	CL-662-886R	**662886.0**	Drum Cover Plate	L=1300 mm
		Dominator 88, 88 VX, 98, 98 VX Mega 202, 202 II, 203, 203 II, 204, 204 II Mega 350 Medion 310, 330 Tucano 320, 330 Tucano 430-420		

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Special steel used for high durability



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-508-042R**	**508042.0** Lexion 670 – 640 Lexion 560 – 540, 440	Beater wing plate (replacement 734291.0, 777218.0,777063.0)	L=1690 mm
	CL-508-043R	**508043.0** Lexion 630 – 620 Lexion 530 – 510 Lexion 430 – 405	Beater wing plate (replacement 735617.0, 777219.0)	L=1410 mm
	CL-530-377R	**530377.0** Dominator 48, 58, 68, 76, 78 Dominator 150, 130	Beater wing plate (replacement 608548.0)	L=1060 mm
	CL-554-697R	**554697.0** Tucano 450 – 440/340 Mega 360, 370, 218 – 208 Mega 218 – 208 Medion 340 Dominator 108 Dominator (ab 09403058), 128-108 VX	Beater wing plate (replacement 634981.1)	L=1580 mm
	CL-555-768R	**555768.0** Tucano 430 – 420 Tucano 330 – 320 Mega 350, 204 – 202 Mega 204 – 202 Medion 330 – 310 Dominator 98/88, 98 VX/88 VX	Beater wing plate (replacement 608549.1)	L=1320 mm
	CL-674-481R	**674481.1** Dominator 106, 118/108 (to 09403057)	Beater wing plate	L=1590 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Made of steel with refined mechanical properties. The drum is dynamically balanced.



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-756-100R**	**756100.0** Lexion 480, 480II, 485 Lexion 580	Discharge beater	L=1740 mm
	CL-777-621R	**777621.2** Lexion 570 Lexion 730-750, 760	Discharge beater	L=1455 mm
	CL-777-625R	**777625.1** Lexion 580 Lexion 600 Lexion 760-780	Discharge beater	L=1740 mm
2	**CL-777-638R**	**777638.0** (set=777639.0, 777615.0) Lexion 550, 600, 760-780,580-590	Wear Plate	L=700 mm

Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
	CL-552-859R	**520014.0** Tucano340, 440, 450	Cover (replacement 552859.1)	L=1393 mm
	CL-630-428R	**630428.1** Lexion 440-460, 470, 480, 540-560, 580, 600	Cover	L=1674 mm
	CL-630-663R	**630663.0** Lexion 405-410, 415-430, 470510-530, 570, 580	Cover	L=1554 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-600-000R**	**600000.4** Dominator 76	Sieve Pan	1904 x 1036 x 592 mm
	CL-600-938R	**600938.4** Dominator 86,96, 98	Sieve Pan (replacement 687179.0)	2007 x 1297 x 600 mm
	CL-600-951R	**600951.5** Dominator 106	Sieve Pan	1950 x 1540 x 600 mm
	CL-662-206R	**662206.1** Mega 208, 218, 128 Dominator 118, 108 Commandor 116, 228 CS	Sieve Pan	2007 x 1297 x 600 mm
	CL-662-234R	**662234.1** Dominator 88, 98 Mega 202, 204/203 II	Sieve Pan	2007 x 1297 x 600 mm
	CL-662-275R	**662275.1** Dominator 78	Sieve Pan	1950 x 1150 x 560 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

- Reliability and durability of the construction
- Strengthening the elements makes it possible to increase the service life of the replacement parts
- Corresponds to the assembly elements and dimensions of the OEM parts



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-508-492R**	**508492.0** Lexion 640-670 Lexion 760	Chopper Body	1801 x 1168 x 765 mm
	CL-551-993R	**551993.0** Tucano 340 Tucano 440-450	Chopper Body	1683 x 968 x 635 mm
	CL-555-286R	**555286.3** Tucano 470, 480	Chopper Body	1670 x 984 x 580 mm
	CL-739-910R	**739910.4** Lexion 480	Chopper Body	1792 x 758 x 611 mm
	CL-740-986R	**740986.6** Lexion 570	Chopper Body	1536 x 1168 x 765 mm
	CL-784-941R	**784941.3** Lexion 540-560, 580 Lexion 600	Chopper Body	1816 x 1232 x 765 mm
	CL-731-459R	**731459.0** Lexion 640, 670	Cover	1700 x 653 x 103 mm
	CL-740-378R	**740378.0** Lexion 510-530, 540-580, 600-670, 740-780	Reinforcing plate	408 x 73 x 4 mm
	CL-741-493R	**741493.0** Lexion 510-530, 540-580, 600-670, 740-780	Bearing plate	410 x 227 x 40 mm
	CL-741-486P	**741486.0** Lexion 510-530, 570, 620-630, 730-760	Crosscutting	695 x 75 x 4 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

SIEVES
AGROPARTS

FINGER TYPES



SIEVES COMPONENTS



Picture no	Part no	OEM Nr.	Description	Execution	Dimensions	Comments
1	CL-736-012R	736012.1	Sieve Frame 3D		1800 x 1600 mm	BW width = 1700
2	CL-754-948R	754948.2	Receive Plate LH		184 x 800 mm	
3	CL-754-949R	754949.2	Receive Plate RH			
4	CL-757-757R	757757.0	End Profil		200 x 1600 mm	
5	CL-736-060R	736060.2	Upper sieve	PW1	1739 x 752 mm	
	CL-739-543R	739543.3	Upper sieve	PW2		
	CL-736-058R	736058.2	Upper sieve	PW4		
6	CL-736-061R	736061.2	Lower sieve	PW3	1275 x 820 mm	
	CL-736-059R	736059.0	Lower sieve	PW4		
1	CL-755-063R	755063.0	Sieve Frame 3D		1991 x 1665 mm	BW width = 1700 JET STREAM
5	CL-756-464R	756464.0	Upper sieve	PW1	1855 x 773 mm	
	CL-756-460R	756460.0	Upper sieve	PW2		
	CL-756-447R	756447.0	Upper sieve	PW4		
6	CL-756-465R	756465.0	Lower sieve	PW3	1536 x 772 mm	
	CL-756-448R	756448.0	Lower sieve	PW4		
5	CL-736-182R	736182.2	Upper sieve	PW1	1739 x 612 mm	BW width = 1420
	CL-739-542R	739542.0	Upper sieve	PW2		
	CL-736-054R	736054.0	Upper sieve	PW4		
6	CL-736-183R	736183.2	Lower sieve	PW3	1275 x 680 mm	
	CL-736-055R	736055.0	Lower sieve	PW4		
1	CL-755-139R	755139.0	Sieve Frame 3D		1991 x 1386 mm	BW width = 1420 JET STREAM
4	CL-736-573R	7365370	End Profil		200 x 1386 mm	
5	CL-756-461R	756461.0	Upper sieve	PW1	1855 x 633 mm	
	CL-756-463R	756463.0	Upper sieve	PW2		
	CL-756-445R	756445.0	Upper sieve	PW4		
6	CL-756-462R	756462.0	Lower sieve	PW3	1536 x 633 mm	
	CL-756-446R	756446.0	Lower sieve	PW4		

BW = 1700	Lexion 780-770/600 Jet Stream Lexion 760 (T yp C56)/ 580/480 Lexion 670-640/560-540/460-440
BW = 1420	Lexion 760 (T yp C56)/ 750-740/570 Jet Stream Lexion 570/470 Lexion 630-620/530-510/430-410

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment
Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Tucano

Detachable construction of sieves, easy to clean and repair
Weight and dimensions correspond to the OEM products
Special inner sealing element prevents damage
Hard frame construction



Picture no	Part no	OEM Nr.	Description	Execution	Dimensions	Comments
1	CL-553-502R	553502.1	Upper sieve 3D-frame		1497 x 1871 mm	
2	CL-553-508R	553508.1	End Profil I		1499 x 145 mm	
3	CL-553-541R	553541.1	Upper sieve	PW1	1739 x 694 mm	BW width = 1580
	CL-552-581R	552581.0	Upper sieve	PW2		
	CL-552-583R	552583.0	Upper sieve	PW4		
4	CL-553-540R	553540.0	Lower sieve	PW3	1275 x 760 mm	
	CL-554-901R	554901.0	Lower sieve	PW4		
3	CL-553-543R	553543.1	Upper sieve	PW1	1739 x 565 mm	BW width = 1320
	CL-552-580R	552580.0	Upper sieve	PW2		
	CL-552-582R	552582.0	Upper sieve	PW4		
4	CL-553-542R	553542.0	Lower sieve	PW3	1275 x 565 mm	
	CL-554-900R	554900.0	Lower sieve	PW4		

BW = 1580 (Threshing machine width)	T ucano 570/480-470/450-440/340
BW = 1320 (Threshing machine width)	T ucano 560/430-420/330-320

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Mega, Medion, Dominator



Dominator



Picture no	Part no	OEM Nr.	Description	Execution	Dimensions	Comments
1	CL-600-118R	600118.1	Upper sieve	PW1	1739 x 694 mm (without 3D system)	
	CL-647-675R	647675.1	Upper sieve	PW2		
	CL-600-119R	600119.0	Upper sieve	PW4		
	CL-647-127R	647127.1	Upper sieve	PW1	1739 x 694 mm (with 3D system)	BW width = 1580
	CL-647-676R	647676.2	Upper sieve	PW2		
	CL-647-125R	647125.0	Upper sieve	PW4		
2	CL-600-117R	600117.4	Lower sieve	PW3	1275 x 760 mm	
	CL-600-116R	600116.0	Lower sieve	PW4		
1	CL-646-097R	646097.0	Upper sieve	PW1	1739 x 694 mm (without 3D system)	
	CL-647-673R	647673.1	Upper sieve	PW2		
	CL-646-090R	646090.0	Upper sieve	PW4		
	CL-647-126R	647126.2	Upper sieve	PW1	1739 x 694 mm (with 3D system)	BW width = 1320
	CL-647-674R	647674.2	Upper sieve	PW2		
	CL647-124R	647124.0	Upper sieve	PW4		
2	CL-646-098R	646098.2	Lower sieve	PW3	1275 x 632 mm	
	CL-646-092R	646092.0	Lower sieve	PW4	1275 x 632 mm	
3	CL-600-112R	600112.1	Upper sieve grain	PW1	1739 x 1010 mm	
4	CL-600-111R	600111.4	Lower sieve	PW3	1275 x 1010 mm	
3	CL-725-139R	725139.1	Upper sieve grain	PW1	1443 x 1010 mm	
4	CL-725-140R	725140.1	Lower sieve	PW3	1130 x 1010 mm	

BW 1580 (Threshing machine width)	Mega 360/218-208 Medion 340 Dominator 118-108
BW 1320 (Threshing machine width)	Mega 350/204-202 Medion 330-310 Dominator 98-88

The machines Mega 360 / Medion 340 / Mega 350 / Medion 330-310 are basically equipped with 3-D Sieve Pan.

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

SIEVE FRAMES 3D
AGROPARTS

Reliability and durability of the construction
Strengthening the elements makes it possible to increase the service life of the replacement parts
Corresponds to the assembly elements and dimensions of the OEM parts



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-542-207R**	**542207.0**	Strainercheek	L=1870 mm
		Mega 300, 350, 360, 370 Medion 310-340		
	CL-647-517R	**647517.1**	Strainercheek	L=1870 mm
		Dominator 78, 88, 88 VX, 98, 98 VX, 108, 108 VX, 118, 128 VX Mega 202, 202 II, 203, 203 II, 204, 204 II, 208, 208 II, 218, 218 II Commandor 114CS, 115CS, 116CS, 228CS Medion 330-310		
2	**CL-542-208R**	**542208.0**	Strainercheek	L=1870 mm
		Mega 300, 350, 360, 370 Medion 310-340		
	CL-647-518R	**647518.1**	Strainercheek	L=1870 mm
		Dominator 78, 88, 88 VX, 98, 98 VX, 108, 108 VX, 118, 128 VX, Mega 202, 202 II, 203, 203 II, 204, 204 II, 208, 208 II, 218, 218 II Mega 310, 330, 340 Commandor 114CS, 115CS, 116CS, 228CS Medion 330-340		

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
	CL-647-544R	**647544.1**	Strainercheek mid	L=1870 mm
		Dominator 78, 88, 88 VX, 98, 98 VX, 108, 108 VX, 118, 128 VX Mega 202, 202 II, 203, 203 II, 204, 204 II, 208, 208 II, 218, 218 II Mega 310, 330, 340, 350 Commandor 114CS, 115CS, 116CS, 228CS, Medion 330-310, 340		
7	**CL-617-619R**	**617619.0**	Guide plate 3D	L=733 mm
		Dominator 108 VX, 116CS, 118, 128 VX, 208, 208 II, 218 II, 360, 370, 350 Commandor 228, 116 Medion 340 Mega 218, 208, 370-360		
6	**CL-647-569R**	**647569.1**	U-Profil	L=1223 mm
		Commandor 114, 115 Dominator 88, 98 Medion 310-330 Mega 203, 204, 202 Mega 350		
	CL-647-636R	**647636.1**	U-Profil	L=1484 mm
		Dominator 108, 108 VX, 118, 128 VX Mega 208, 208 II, 218, 218 II Commandor 116CS, 228CS		
5	**CL-647-630R**	**647630.0**	Cross Profill	L=1490 mm
		Dominator 108, 108 VX, 118, 128 VX Mega 208, 208 II, 218, 218 II, 370-360 Commandor 116CS, 228CS		
4	**CL-647-634R**	**647634.1**	Cross Connection	L=1540 mm
		Dominator 108, 108 VX, 118, 128 VX Mega 208, 208 II, 218, 218 II, Com 116CS, 228CS		
	CL-647-565R	**647565.1**	Cross Connection	L=1157 mm
		Commandor 114, 115 Dominator 88, 98 Medion 310-330 Mega 203-204, 350		

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Reliability and durability of the construction
Strengthening the elements makes it possible to increase the service life of the replacement parts
Corresponds to the assembly elements and dimensions of the OEM parts



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-600-444R**	**600444.0** Dominator 106, 118/108	Step Plate	L=1890 mm
	CL-662-201R	**662201.0** Dominator 118/108, 128/108 VX Medion 340 T ucano 340	Step Plate	L=1890 mm
	CL-662-248R	**662248.0** Dominator 88-98 T ucano 340 Mega 330-310	Step Plate	L=1890 mm
	CL-662-664R	**662664.0** Mega 218/208 Mega 370/360 T ucano 450-420	Step Plate	L=1990 mm
	CL-663-590R	**663590.0** Mega 204/203 Mega 350 T ucano 430-420	Step Plate	L=1990 mm
2	**CL-554-801R**	**554801.1** T ucano 440-450 T ucano 570-580	Preparation floor	L= 2637 mm
	CL-662-192R	**662192.0** Dominator 118/108, 128/108 VX Medion 340 T ucano 340	Preparation floor (replacement 662193.0)	L=1560 mm
	CL-662-242R	**662242.0** Dominator 88, 88 VX, 98, 98 VX Medion 330 H, 330-310	Preparation floor	L=1300 mm
	CL-662-272R	**662272.0** Commandor 228/116 CS	Preparation floor	L=1500 mm
	CL-662-641R	**662641.0** Mega 218/208, 218/208 II, Mega 370/360	Preparation floor	L=1580 mm
	CL-663-582R	**663582.0** Mega 204/203 Mega 350	Preparation floor	L=1310 mm
3	**CL-647-072R**	**647072.0** Commandor 114 Mega 204/203, 218/208	Renewal	L=780 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

PREPARATION FLOOR
AGROPARTS

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Reliability and durability of the construction
Strengthening the elements makes it possible to increase the service life of the replacement parts
Corresponds to the assembly elements and dimensions of the OEM parts



Reinforcing



Picture no	Part no	OEM Nr.	Description	Execution	Comments
	CL-735-922R	**735922.3**	Auger	standard	Lexion 405-410 to SN 452006, Lexion 430-415 to SN 45301591 Lexion 460-440 to SN 45402288 Lexion 480 to SN 46600325
	CL-735-384R	**735384.3**	Auger	reinforced	
	CL-755-206R	**755206.4**	Auger	standard	Lexion 405-410 ab SN 452007, Lexion 430-415 ab SN 45301592 Lexion 460-440 ab SN 45402289 Lexion 480 ab SN 46600326 Tucano 320-340, 420-450, 560-580
	CL-755-445R	**755445.5**	Auger	reinforced	

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment



Picture no	Part no	OEM Nr.	Description	Execution	Comments
	CL-541-532R	**541532.1**	Grain Tank Auger	standard	Medion 310-340, Mega 350-370
	CL-542-215R	**542215.0**	Grain Tank Auger	reinforced	
	CL-554-995R	**554995.0**	Grain Tank Auger	standard	Tucano 320-340, Tucano 420-460, 470-480
	CL-554-996R	**554996.0**	Grain Tank Auger	reinforced	
	CL-608-538R	**608538.2**	Grain Auger	standard	Dominator 88, 108, 118 , 98, 96 Mega 202, 203, 204, 208, 218
	CL-634-613R	**634613.0**	Grain Auger	reinforced	
2	**CL-642-184R**	**642184.1**	Auger	standard	Commandor 116, 228 Mega 218/208
	CL-647-356R	**647356.1**	Auger	reinforced	Mega 350, 360, 370 Dominator 106, 108-128
3	**CL-735-933R**	**735933.2**	Grain Tank Auger	standard	Lexion 440-460 to SN 4540228
	CL-735-383R	**735383.2**	Grain Auger	reinforced	
	CL-755-440R	**755440.2**	Grain Tank Auger	standard	Lexion 410-430, 440-460, 470, 480 Lexion 510-530, 540-560, 570, 580 Lexion 600, 620-630, 640-670 Lexion 740, 750, 760, 770
	CL-351-391R	**351391.1**	Grain Tank Auger	reinforced	
	CL-755-441R	**755441.2**	Grain Tank Auger	standard	Lexion 410-430, 470, 480 Lexion 510-530, 540-560, 570 Lexion 600, 740-770 Lexion 440-460 to SN 4540229
	CL-351-390R	**351390.1**	Grain Auger	reinforced	

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment



Picture no	Part no	OEM Nr.	Description	Execution	Comments
	CL-541-394R	**541776.0**	Grain Auger	standard	Medion 310-330, Mega350
	CL-541-776R	**541394.0**	Grain Auger	reinforced	Tucano 320-330
	CL-555-601R	**555601.2**	Grain Auger	standard	Tucano 340 Tucano 440-450, 470-480
	CL-555-602R	**555602.2**	Grain Auger	reinforced	
	CL-642-880R	**642880.2**	Grain Auger	standard	Dominator 108, 108 VX, 118, 128 VX Mega 208/208, 218/218 II Mega 360, 370 Commandor 116 CS Commandor 228 CS
	CL-647-233R	**647233.1**	Grain Auger	reinforced	
	CL-735-385R	**735385.1**	Grain Auger	standard	Lexion 460-440, 465, 480, 485
	CL-735-924R	**735924.1**	Grain Auger	reinforced	
	CL-795-463R	**795463.1**	Grain Auger	standard	Lexion 640-670 Lexion 760
	CL-795-464R	**795464.1**	Grain Auger	reinforced	
2	**CL-646-778R**	**646778.1**	Tailings auger	standard	Tucano 440-450, 470, 480, 340 Tucano 570, 580
	CL-678-297R	**678297.3**	Tailings auger	reinforced	
	CL-757-248R	**757248.1**	Tailings auger	standard	Lexion 460, 465, 480, 485 Lexion 540, 560, 570, 580, 595 Lexion 600, 640, 660, 670 Lexion 760, 770, 780
	CL-757-249R	**757249.1**	Tailings auger	reinforced	

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment



Picture no	Part no	OEM Nr.	Description	Comments
	CL-687-173R	**687173.2**	Tailings auger	Medion 310-330, 340, 350 Mega 350, 360, 370 T Tucano 320, 330, 340 Tucano 420-480, 550-570
	CL-735-356R	**735356.0**	Tailings auger	Lexion 405-410, 410-430, 440-460, 470, 480 Lexion 510-530, 540-560, 570, 580 Lexion 600, 620-630, 640-670 Lexion 740, 750, 760, 770, 780, 730
2	**CL-725-475R**	**725475.2**	Elevator Head	Dominator 130 Medion 310-330, 340 Mega 350-370
3	**CL-618-594R**	**618594.1**	Tailings elevator housing	Mega 350, 360, 370, 204, 208, 218
4	**CL-618-599R**	**618599.0**	Elevator Foot	Mega 202, 204-203,218-208, 350-370 Tucano 320, 330, 340, 420, 430, 440, 450
	CL-735-330R	**735330.1**	Elevator Foot	Lexion 440-460, 470, 480 Lexion 530-510, 540-560, 570, 580

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment



Picture no	Part no	OEM Nr.	Description	Execution	Comments
1	**CL-554-502R**	**554502.3**	Filler Head		Tucano 320, 330, 340 Tucano 420, 430, 440, 450, 460, 470, 480
2	**CL-351-397R**	**351397.2**	Filling auger	standard	Lexion 405-430 Tucano 320, 330, 340
	CL-352-968R	**352968.1**	Filling auger	reinforced	Tucano 420-480 Tucano 560-580
	CL-542-222R	**542222.1**	Filling auger	standard	Medion 310-340 Mega 360-370
	CL-543-092R	**543092.3**	Filling auger	reinforced	
	CL-549-523R	**549523.2**	Filling auger	standard	Tucano 420-430, 440-450
	CL-543-417R	**553417.2**	Filling auger	reinforced	
	CL-646-139R	**646139.3**	Grain Auger	standard	Dominator 108, 118, 128 VX Mega 208/208
	CL-682-746R	**682746.1**	Grain Auger	standard	Mega 208/218
	CL-663-168R	**663168.0**	Grain Auger	reinforced	Mega 208/218
	CL-735-899R	**735899.3**	Filling auger	standard	Lexion 480-440 Lexion 510-580,620-670,740-760
	CL-751-118R	**751118.3**	Filling auger	standard	Lexion 405-430, 440-460 Lexion 510-530, 540-560 Lexion 620-630, 640-670 Tucano 320-340 Tucano 420-430, 440-450, 460, 480, 470 Tucano 560, 570, 580
3	**CL-682-740R**	**682740.0**	Filler Tube		Mega 218-208, 218-208 II
4	**CL-353-214R**	**353214.0**	Filler Head		Mega 218/208, 218/208 II
	CL-351-394R	**351394.1**	Filler Head		Lexion 620, 630,640-670, 750, 760
	CL-735-590R	**735590.3**	Filler Head		Lexion 410-430, 440-460, 480
	CL-180-3960R	**1803960.0**	Filler Head		Lexion 620-630, 640-670, 750-760
	CL-543-093R	**543093.0**	Filler Head		Dominator 118/108, 128/108 VX Medion 340- 310 Mega 350, 360, 370

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

ELEVATORS
AGROPARTS

Corresponds to the assembly elements and dimensions of the OEM parts

Reinforced elements that are subject to more intensive wear

Delivered as a SET including cover plates and locks Implemented constructive elements make it possible to improve working conditions



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-756-761R**	**756761.0** Lexion 405, 410, 415, 430, 440, 450, 460, ab SN 45700017 Lexion 480 ab SN 46600488	Elevator Head	L=912 mm
	CL-784-077R	**784077.1** Lexion 510-585 Lexion 620-630, 640-670 Lexion 730-760	Elevator Head	L=903 mm
3	**CL-557-093R**	**557093.0** (557083) Tucano 340 Tucano 420, 430, 440, 450, 460, 460, 470, 480	Elevator Foot	L=541 mm
	CL-795-440R	**795440.0** Lexion 730-760, 560-575	Elevator Foot	L=382 mm

Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
	CL-541-765R	**541765.2** Medion 310, 330, 340 Mega 350-370	Elevator, Tailings	L=1857 mm
	CL-618-594R	**618594.1** Mega 350, 360, 370 Mega 204, 208, 218	Elevator, Tailings	L=124 mm
	CL-682-762R	**682762.2** Mega 208, 218	Elevator, Tailings	L=385 mm
4	**CL-541-500R**	**541500.2** Medion 310-330, 340, 350 Mega 350-370	Elevator Head	L=707 mm
	CL-682-759R	**682759.1** Mega 218/208, 218/208 II	Elevator Head	L=630 mm
	CL-784-078R	**784078.1** Lexion 510, 520, 530, 540, 550, 560, 570, 580 Lexion 620-630, 640-670 Lexion 730-750, 760	Elevator Head	L=903 mm
5	**CL-618-599R**	**618599.0** Mega 202, 204/203 Mega 218/208 Mega 350-370 Tucano 320, 330, 340 Tucano 420, 430, 440, 450	Elevator Foot	L=483 mm
	CL-647-750R	**647750.0** Commandor 114, 115, 116CS, 228CS Mega 218/208, 218/208 II	Elevator Foot	L=536 mm
	CL-687-330R	**687330.2** Medion 310-340 Mega 350-370 Tucano 320-340	Elevator Foot	L=517 mm
	CL-735-330R	**735330.1** Lexion 440-460, 470, 480, Lexion 530-510, 540-560, 570, 580, 620-670	Elevator Foot	L=483 mm
	CL-735-992R	**735992.1** Lexion 405, 410, 410II, 420, 430, 430II, 430, 440, 440II, 450, 460, 470, 480 Lexion 510, 520, 530, 530, 540, 550, 560,570 to SN 58500162, 570 Montana to SN 58100038, 620-670, 760	Elevator Foot	L=382 mm
	CL-735-865R	**735865.0** Lexion 405-760 Mega 360-370 Tucano 320-570	Divider Plate	L=285 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

STRAW WALKERS
AGROPARTS

Corresponds to the assembly elements and dimensions of the OEM parts.

Reinforced elements and special construction of details enable a longer service life





Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
	CL-555-932R	**555932.0** Tucano 330- 320, 340 Tucano 430-420, 450-440	Straw Walker (replacement 678651.0)	L=4418 mm
	CL-678-282R	**678282.0** Dominator 76, 78 to SN 09102568, 96, 98 to SN 09606622 Dominator 106, 108 und 118 to SN 09405680	Straw Walker	L=4375 mm
	CL-678-651R	**678651.0** Dominator 78 ab SN 09102569,98 ab SN 09606623 Dominator 98 VX, 108, 108 VX, 118, 128 VX Mega 203, 203, 204, 208, 218 Mega 350, 360, 370 Medion 310, 330, 340 Tucano 330-320, 340 Tucano 430-420, 450-440	Straw Walker	L=4375 mm
	CL-792-727R	**792727.1** Lexion 410, 420, 430, 430, 440, 450, 460 Lexion 510, 520, 530, 530, 540, 550, 550 Lexion 560, 570 Lexion 630-620, 670-640	Straw Walker (replacement735401.0)	L=4365 mm
2	**CL-670-939R**	**670939.3** Dominator/Medion Mega	Cover grate 0,8 mm	L=710 mm
	CL-673-913R	**673913.2** Dominator/Medion Mega	Cover grate 0,8 mm	L=1330 mm
	CL-684-996R	**684996.2** Dominator/Medion Mega	Cover grate 1.5 mm	L=920 mm
	CL-735-418R	**735418.2** Lexion	Cover grate 1,5 mm	L=915 mm
	CL-735-419R	**735419.3** Lexion	Cover grate 0,8mm	L=720 mm
	CL-735-420R	**735420.3** Lexion	Cover grate 0,8 mm	L=1802 mm
3	**CL-751-626R**	**751626.0** Lexion	Lateral Fishbacks	L=350 mm
4	**CL-755-493R**	**755493.0** Lexion	Parallel Fishbacks	L=700 mm
	CL-751-426R	**751426.0** Lexion 480, 580	Separation Concave	L=313 mm
	CL-752-811R	**752811.0** Lexion 480, 580	Separation Concave	L=518 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
	CL-986-281R	**986281.2**	Drum Bottom (Chopper Housing)	864 x 317 x 222 mm
	suitable for:	Typ 495, 493, 492, 491 – 487		
	CL-495-832R	**495832.0**	Drum Bottom (Chopper Housing)	864 x 317 x 222 mm
	suitable for:	Typ 496, 493, 492		



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
	CL-986-257R	**986257.0** Jaguar 820-840 Typ 487, 488, 491 Jaguar 860-880 Typ 489, 490, 491	Rack	4 x 34 x 663 mm
	CL-986-267R	**986267.2** Jaguar 810 Typ 495 Jaguar 830-900 Typ 492 Jaguar 930-980 Typ 494	Rack	
	CL-131-2590R	**1312590.1** Jaguar 810 Typ 495 Jaguar 830-880 Typ 496 Jaguar 830-900 Typ 492 Jaguar 930-980 Typ 494	Rack	
2	**CL-987-978R**	**987978.0** Jaguar 810 Typ 495 Jaguar 830-900 Typ 492	Rack	4 x 44 x 673 mm
	CL-484-215R	**484215.0** Jaguar 830-900 Typ 493 Jaguar 930-980 Typ 494	Rack	
	CL-984-311R	**984311.0** Typ 495, 493, 492, 491 – 487		4 x 26 x 328 mm

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
	CL-078-497R	**078497.4**	Housing	
	suitable for:	Jaguar 820-840 Typ 487, 488, 491 Jaguar 880-860 Typ 489, 490, 491 Jaguar 810 Typ 495 Jaguar 830-900 Typ 492, 493		
2	**CL-076-202R**	**076202.4**	Wear Plate	
	suitable for:	Jaguar 820-840 Typ 487, 488, 491 Jaguar 880-860 Typ 489, 490, 491 Jaguar 810 Typ 495 Jaguar 830-900 Typ 492, 493 to 49209035		473 x 670 x 4 mm
	CL-141-700R	**141700.1**	Wear Plate	
	suitable for:	Typ 497, 496, 494, Typ 492, ab 49209036		
3	**CL-076-391R**	**076391.2**	Wear Plate lh.	529 x 120 x 56 mm
4	**CL-076-392R**	**076392.2**	Wear Plate rh.	529 x 120 x 56 mm
	CL-123-073R	**123073.0**	Wear Plate	
	suitable for:	Typ 494, 493, 492, 491 – 487		
	CL-130-152R	**130152.1**	Holder	
	suitable for:	Typ 494, 493, 492, 491 – 487		

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment



Picture no	Part no	OEM Nr.	Description	Suitable for	Dimensions / Remarks
1	**CL-068-238R**	**068238.2**	Wear Plate	Jaguar 930-980 Typ 494 Jaguar 830-900 Typ 493,492 Jaguar 820-880 Typ 491 – 487	
2	**CL-076-646R**	**076646.3**	Wear Plate		1995 x 275 x 5 mm
3	**CL-068-222R**	**068222.1**	Elbow		4058 x 844 x 463 mm
4	**CL-076-635R**	**076635.4**	Wear Plate		
5	**CL-078-673R**	**078673.1**	Wear Plate		1285 x 272 x 3 mm
6	**CL-143-509R**	**143509.0**	Wear Plate		
7	**CL-078-802R**	**078802.0**	Cover		479 x 320 x 315 mm
8	**CL-076-631R**	**076631.4**	Cover		300 x 300 x 362 mm
9	**CL-068-148R**	**068148.0**	Wear Plate		

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

WEAR PLATES
AGROPARTS



Picture no	Part no	OEM Nr.	Description	Dimensions / Remarks
1	**CL-076-393R** suitable for:	**076393.3** Typ 495, 493, 492, 491 – 487	Wear Plate	276 x 314 x 4 mm
2	**CL-076-394R** suitable for:	**076394.3** Typ 495, 493, 492, 491 – 487	Wear Plate	276 x 314 x 4 mm
3	**CL-076-218R** suitable for:	**076218.2** Typ 495, 493, 492, 491 – 487	Wear Plate	736 x 791 x 4 mm
4	**CL-078-864R** suitable for:	**078864.2** Typ 495, 493, 492, 491 – 487	Rear Panel	
5	**CL-078-862R** suitable for:	**078862.2** Typ 495, 493, 492, 491 – 487	Transition Piece	
	CL-090-975R suitable for:	**090975.0** Typ 495, 493, 492, 491 – 487	Deflector	
	CL-076-247R suitable for:	**076247.3** Typ 495, 493, 492, 491 – 487	Scraper	
	CL-076-187R suitable for:	**076187.0** Typ 495, 493, 492, 491 – 487	Sealing	

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment

+1 (973) 262-9270
https://agroparts.us
sales@agroparts.us

1103 Peer Place
Denville,New Jersey

AGROPARTS LLC